Sheet _1_ of _3_

1	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	01948/088004
	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/624,809
			Applicant	Karumanchi et al.
l	SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Filing Date	July 21, 2003	
	(Use several s	sheets if necessary)	Group	1647
	(37 C.F.R. § 1.98(b))		IDS Filed	October 24, 2007

U.S. PATENT DOCUMENTS			
Examiner's Document Publication Patentee or Applicant Date / Date Filed		Patentee or Applicant	
	10/920,116	Aug. 16, 2004	Thadhani et al. (Pending Application)
	10/947,791	Sep. 23, 2004	Thadhani et al. (Pending Application)
2005/0148023 Jul. 7, 2005 Thadhani et al.			

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION				
Examiner's Initials				Translation (Yes/No)
	EP 1417971	May 12, 2004	European Patent Office	

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Baker et al., "Elevated serum levels of vascular endothelial growth factor in patients with preeclampsia," Obstet. Gymocol. 86: 815-821 (1995).
Davis-Smyth et al., "The second Immunoglobulin-like domain of the VEGF tyrosine kinase receptor Fit-1 determines ligand binding and may initiate a signal transduction cascade," <i>EMBO J.</i> 15: 4919-4927 (1996).
Davis-Smyth et al., "Mapping the charged residues in the second immunoglobulin-like domain of the vascular endothelial growth factor/piacenta growth factor receptor Fit-1 required for binding and structural stability." <i>J. Biol Chem.</i> 273: 3216-3222 (1998).
Dvorak, "Vascular permeability factor/vascular endothelial growth factor: A critical cytokine in tumor angiogenesis and a potential target for diagnosis and therapy," J. Clin. Oncol. 20: 4368-4380 (2002).
Errico et al., "Identification of placenta growth factor determinants for binding and activation of Flt-1 receptor," J. Biol. Chem. 279: 43929-43939 (2004).
Ferrara et al., "Role of vascular endothelial growth factor in regulation of physiological angiogenesis," Am. J. Physiol. Cell Physiol. 280: C1358-C1366 (2001).
Ferrara et al., "The biology of VEGF and its receptors," Nat. Med. 9: 669-676 (2003).

EXAMINER /lan Dang/		DATE CONSIDERED	12/19/2007
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this			

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	01948/088004
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/624,809
		Applicant	Karumanchi et al.
STATEMENT	ON DISCLOSURE IF BY APPLICANT	Filing Date	July 21, 2003
(Use several sheets if necessary)		Group	1647
(37 C.F.R. § 1.98(b))	37 C.F.R. § 1.98(b))		October 24, 2007

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Hsieh, Tsang-Tang, "Maternal serum placenta growth factor and vascular endothelial growth factor in pregnancies complicated by preeclampsia," <i>Am. J. Obstet. Gynecol.</i> 184: S70 (2001). (Abstract)
lyer et al., "The crystal structure of human placenta growth factor-1 (PIGF-1), an angiogenic protein, at 2.0 Å resolution," <i>J. Biol. Chem.</i> 276: 12153-12161. 2001
Keyt et al., "Indentification of vascular endothelial growth factor determinants for binding KDR and Fit-1 receptors," <i>J. Biol. Chem.</i> 271: 5638-5646 (1996).
Krussel et al., "Expression of mRNA for vascular endothelial growth factor transmembraneous receptors Flt1 and KDR, and the soluable receptor sflt in cycling human endometrium," Mol. Hum. Reprod. 5: 452-458 (1999).
Li et al., "Recombinant VEGF121 Attenuates Hypertension and Improves Kidney Damage in a Rat Model of Preeclampsia," Hypertension 092098 (2007).
Lyall et al., "Suppression of serum vascular endothelial growth factor immunoreactivity in normal pregnancy and in pre-eclamsia," BJOG 104: 223-228 (1997).
Maynard et al., "Sfl-1, a circulating VEGF antagonist, is up-regulated in preeclampsia and contributes to endothelial dysfunction," J. Am. Soc. Nephrol. 13: SU-FC280 (2002).
Muller et al., "Vascular endothelial growth factor: crystal structure and functional mapping of the kinase domain receptor binding site," <i>Proc. Natl. Acad. Sci. USA</i> 94: 7192-7197 (1997).
Muller et al., "The crystal structure of vascular endothelial growth factor (VEGF) refined to 1.93 Å resolution: multiple copy flexibility and receptor binding," <i>Structure</i> 5: 1325-1338 (1997).
Olofsson et al., "Vascular endothelial growth factor B (VEGF-B) binds to VEGF receptor-1 and regulates plasminogen activator activity in endothelial cells," <i>Proc. Natl. Acad. Sci. USA</i> 95: 11709-11714 (1998).
Park et al., "Placenta growth factor potentiation of vascular endothelial growth factor bioactivity, in vitro and in vivo, and high affinity binding to FIt-1 but not to FIk-1/KDR," J. Biol. Chem. 269: 25646-25654 (1994).
Park et al., "An elevated maternal plasma, but not ammiotic fluid, soluble firs-like tyrosine kinase-1 (sFlt-1) at the time of mid-timester genetic arminocentesis is a risk factor for preedampsia," Am. J. Obstet. Gynecol. 193: 984- 985. 2005
Polliotti et al., "Second trimester maternal serum placental growth factor and vascular endothelial growth factor for predicting severe, early-onset preeclampsia," Obstet. Gynecol. 101: 1266-1274 (2003)
Powers et al., "Maternal serum soluble fins-like tyrosine kinase 1 concentrations are not increased in early pregnancy and decrease more slowly postpartum in women who develop preeciampsia," Am. J. Obstet. Gynecol. 193.
Reuvekamp et al., "Selective deficit of angiogenic growth factors characterises pregnancies complicated by pre- eclampsia," BJOG 106: 1019-1022 (1999).

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attomey Docket No.	01948/088004
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/624,809
		Applicant	Karumanchi et al.
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	BY APPLICANT	Filing Date	July 21, 2003
(Use several sheets if necessary)		Group	1647
(37 C.F.R. § 1.98(b))	7 C.F.R. § 1.98(b))		October 24, 2007

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
	Sawano et al., "Fil-1 but not KDR/Fik-1 tyrosine kinase is a receptor for placenta growth factor, which is related to vascular endothelial growth factor," Cell Growth Differ. 7: 213-221 (1996).
	Vuorela, "Vascular endotheliat growth factor, its receptors, and the Tie receptor in normal and complicated pregnancy," Department of Obstetrics and Gynaecology, Helsinki University Central Hospital, University of Helsinki, Finland (2000).
	Walsh et al., "Computer modeling of the receptor-binding domains of VEGF and PIGF," Protein Eng. 10: 389-398 (1997).
	Wiesmann et al., "Crystal structure at 1.7 Å resolution of VEGF in complex with domain 2 of the Fit-1 receptor," Cell 91: 695-704 (1997).
	European Search Report dated May 23, 2007 (PCT/US0322892).
	Office Action for U.S.S.N. 10/771,518 mailed on June 23, 2006.
	Office Action for U.S.S.N. 10/771,518 mailed on March 8, 2007.
- 1	Office Action for U.S.S.N. 11/019,559 mailed on June 6, 2006.
	Office Action for U.S.S.N. 11/019,559 mailed on March 22, 2007.

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /I.D./